DUAL SH DBC® SST

Height: 36.0" Width: 18.0" Depth: 23.5" (91.4cm) (59.7cm) (45.7cm)



- Brews 1/2, 1 or 1 1/2 gallon (1.9, 3.8 or 5.7L) batches
- Brews 18.9gal (71.5L) of perfect coffee per hour
- Reduce accidents with safety features that decrease hot splashes from funnel, eliminate brewing when funnel or server is not present
- Simplify installation and calibration by creating your own recipe cards and dedicated funnels with the BrewWISE Recipe Writer using your PC (Windows® compatible).
- Energy saver mode reduces tank temperature during idle periods
- Operate any combination of BrewWISE equipment error-free with wireless brewergrinder interface through Smart Funnel with SplashGard®
- Stores individual coffee and flavor profiles using adjustable water volume, bypass percentage, pulse brew, and pre-infusion timing
- Troubleshoot all switches and electrical components from the front panel with advanced diagnostic service tools
- Servers not included unless otherwise noted



Agency:





Specifications

Product #: 33500.0008 Funnel: Smart Funnel

Water Access: Plumbed Faucet: Upper

Interface: Wireless Finish: Stainless

Additional Features

BrewWISE

Electrical & Capacity

220-240	27.0-29.5	6000-7100	No	-	283	60°F (15.5°C)	1	2	50-60
Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.


Plumbing Requirements


PSI kPa		Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	1/4" Male Flare Fitting	-				


CAD Drawings

2D	Revit	KLC
•		









Unit				Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	36.0 in.	18.0 in.	23.5 in.	39.8 in.	21.6 in.	27.1 in.	92.500 lbs	13.493 ft ³	
Metric	91.4 cm	45.7 cm	59.7 cm	101.0 cm	54.9 cm	68.9 cm	41.958 kgs	0.382 m³	



Related Products & Accessories: DUAL SH DBC® SST(33500.0008)



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



DRIP TRAY KIT, DUAL &

Product #: 27150.0000



1SH STAND, CE 220-240V 50-60 HZ EURO

Product #: 27825.0001



220-240V W/UK PLUG

Product #: 27825.0002





2SH STAND, CE 220V **60HZ INMETRO**

Product #: 27875.0005

CARD ASSY, RECIPE TRANSFER (BRW)

Product #: 34447.0016



Serving & Holding Options: DUAL SH DBC® SST(33500.0008)



SH SERVER, 1.5G/5.7L NO FL ADJ TMR

Product #:27850.0001



SH SERVER, 1.5G/5.7L BLK NO FL ADJ TMR

Product #:27850.0004



SH SERVER, 1.5G/5.7L 45 MIN ADJ TMR

Product #:27850.0006



SH SERVER, 1.5G BLK 60 MIN ADJ TMR

Product #:27850.0008



SH SERVER, 1.5G 120 MIN ADJ TMR AUTO OFF

Product #:27850.0009



SH SERVER, 1.5G/5.7L 240 MIN ADJ TMR

Product #:27850.0016



SH SERVER, 1.5G/5.7L BLK 120 MIN ADJ TM

Product #:27850.0022



SH-S SERVER 1G 60 MIN ADJ TMR

Product #:27850.0046

