Depth: 04 7

ICBA

Height: 34.4" Width: 10.9" Depth: 24.7" (87.4cm) (27.7cm) (62.7cm)



 Large 3gal (11.4L) tank provides back-to-back brewing capacity at 120/208-240V applications

- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- Digital display in English/Spanish for easier programming and control. Advertising messages and machine status also displayed. Display capable of showing English or Metric measurements.
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Easy pulse display allows for simplified programming of pulse routine
- Energy-saver mode reduces tank temperature during idle periods
- Includes overlay kit for customization of brewer interface
- Three brew buttons allow for 3 separate brewing profiles. Two programmable batch switches allow full and half batch brewing.
- · Servers not included unless otherwise noted

Server(s) sold separately

Specifications

Faucet: Variable

Additional Features

BrewWISE

Product #: 36600.0020 Water Access: Plumbed

Finish: Stainless

Funnel: Smart Funnel

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
220-240	11.0-12.0	2400-2900	-	-	149	60°F (15.5°C)	1	2	50/60

Agency:

6

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

CAD Drawings


	<u> </u>					
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	3/8" Male Flare Fitting	-	•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle

Last Updated: 11/17/2020

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	34.4 in.	10.9 in.	24.7 in.	38.1 in.	14.3 in.	32.3 in.	47.576 lbs	10.139 ft ³
Metric	87.4 cm	27.7 cm	62.7 cm	96.8 cm	36.2 cm	81.9 cm	21.580 kgs	0.287 m³



 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 11/17/2020

 For most current specifications and other info visit bunn.com.
 11/17/2020

Related Products & Accessories: ICBA(36600.0020)





For most current specifications and other info visit bunn.com.

Serving & Holding Options: ICBA(36600.0020)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 11/17/2020

 For most current specifications and other info visit bunn.com.
 11/17/2020

Serving & Holding Options: ICBA(36600.0020)





BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle Last Updated: the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. 11/17/2020 For most current specifications and other info visit bunn.com.