iMIX®-3A Black

Height: 32.8" Width: 12.6" Depth: 24.0" (83.3cm) (32.0cm) (61.0cm)



- 4.4gal (16.7L) hot water tank to meet peak serving times
- Iced Coffee and other displays available
- Alphanumeric display communicates advertising messages, machine status and technical support contact information
- Auger motors with RPM feedback monitoring assure consistent flavors and profits by controlling powder dosing
- · Capacity: Three 8lb (3.6kg) hoppers
- Cup clearance at 7.25" (18.4cm) to accommodate popular cup sizes [adjustable to 8.12" (20.6cm)]
- Front of machine access to tank drain, dump valves, auger and whipper motors and control board for easy service set up and calibration
- High speed heavy-duty whipper for complete product mixing
- Low product detection system alerts audibly and with message on display when hoppers are low
- High efficiency LED lighted front graphics for merchandising
- Night mode to prevent pilferage
- Spring-loaded, all metal auger drive system for easy hopper installation

Agency:

 ϵ

Specifications

Product #: 36900.0014 **Door:** Lit

Water Access: Plumbed Door: Side Hinge

Finish: Black Dispense: Portion Control
Hoppers: Three Dispense: Push Button

Electrical & Capacity

220-240	Amps 13.6-14.5	,	Attached Yes	acried	236ml cups/hr 136	Temp. 60°F (15.5°C)	1	plus Ground	50-60
Volts*	Amno	Watts	Cord	Plug Type	8oz cups/hr	Input H ² O	Phase	# Wires	Hertz

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

		. 011101110					
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-100	138-689	1/4" Male Flare Fitting	-				


CAD Drawings

Additional Features

2D	Revit	KLC
•	•	•

MARNING:






Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	32.8 in.	12.6 in.	24.0 in.	41.7 in.	17.1 in.	29.5 in.	90.415 lbs	12.144 ft³
Metric	83.3 cm	32.0 cm	61.0 cm	105.9 cm	43.3 cm	74.9 cm	41.012 kgs	0.344 m³



Related Products & Accessories:iMIX®-3A Black(36900.0014)























Serving & Holding Options: iMIX®-3A Black(36900.0014)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.