## H5XA Element SST, CE EURO

Height: 28.5" Width: 7.1" Depth: 18.9" (72.4cm) (18.0cm) (48.0cm)



- LED display provides simple temperature adjustment
- Thinsulate® tank insulation provides increased energy efficiency
- Digital thermostat provides constant and accurate temperatures of 60°- 212°F (15.6°-100°C)
- Programmable "Energy Saver Mode" reduces operating cost during idle periods
- The perfect tool for added control over quality coffee and tea
- Contemporary, space-saving design

Agency:

# KR (€ EHL

## Specifications

Product #: 43600.0013

Water Access: Plumbed

Temp. Setting: 212°F (100.000°C) Dispense: Pull & Hold

Finish: Stainless

Faucet: Upper

#### **Electrical & Capacity**

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
220-240	15.5-16	3400-3800	Yes	EURO 16A	-	60°F (15.5°C)	1	2	50/60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

### **Plumbing Requirements**

#### **CAD** Drawings

**Additional Features** 

	0	0				
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	1/4" Male Flare Fitting	-	•		
^						


WARNING:



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle


Last Updated: 02/27/2023


the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.




....

R








Unit				Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	28.5 in.	7.1 in.	18.9 in.	32.9 in.	11.0 in.	20.7 in.	33.300 lbs	4.338 ft <sup>3</sup>	
Metric	72.4 cm	18.0 cm	48.0 cm	83.7 cm	27.9 cm	52.5 cm	15.105 kgs	0.123 m³	



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle Last Updated: the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. 02/27/2023 For most current specifications and other info visit bunn.com.

## Related Products & Accessories:H5XA Element SST, CE EURO(43600.0013)





BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 02/27/2023

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle Last Updated: the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. 02/27/2023 For most current specifications and other info visit bunn.com.