## 1SH Stand, CE 220-240V INF SERIES

Height: 9.3" Width: 10.2" Depth: 11.8" (23.6cm) (25.9cm) (30.0cm)



- Remote one server docking station for additional satellite coffee serving
- Docking station provides instant power contact to servers
- Soft Heat® stand supplies power to servers, to provide controlled heat for ideal maintenance of flavor and temperature
- Compatible with round BUNN Infusion Series Soft Heat servers
- Durable all stainless steel construction
- · Contemporary styling

Agency:

(

### **Specifications**

**Product #:** 27825.0300

Finish: Stainless

Legs: 4" Stainless Steel Legs

# **Electrical & Capacity**

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
220-240	0.45-0.49	70-80	Yes	EURO 16A	-	60°F (15.5°C)	1	2	50-60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements

PSI kPa		Fitting Supplied	Water Flow Required (GPM)				
-	-	-	-				


## **CAD Drawings**


**Additional Features** 


2D	Revit	KLC
•		

MARNING:









Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	9.3 in.	10.2 in.	11.8 in.	11.4 in.	13.0 in.	14.0 in.	17.000 lbs	1.198 ft³
Metric	23.6 cm	25.9 cm	30.0 cm	28.9 cm	33.0 cm	35.6 cm	7.711 kgs	0.034 m³



# Related Products & Accessories: 1SH Stand, CE 220-240V INF SERIES (27825.0300)



SH SERVER, 1.5G/5.7L INF SERIES

Product #: 27850.0200



ICBA SH, CE 220-240V SST

Product #: 51100.0500



KIT, DRIP TRAY SINGLE

Product #: 53452.0001



\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*

