### 2SH CE 220-240V Soft Heat Stand, INF SRS

Height: 9.3" Width: 20.2" Depth: 11.8" (23.6cm) (51.3cm) (30.0cm)

- Remote two server docking station for additional satellite coffee serving
- Docking station provides instant power contact to servers
- Soft Heat® stand supplies power to servers, to provide controlled heat for ideal maintenance of flavor and temperature
- Compatible with round BUNN Infusion Series Soft Heat servers
- Durable all stainless steel construction
- · Contemporary styling



Agency:



#### **Specifications**

Product #: 27875.0300

Finish: Stainless

Legs: 4" Stainless Steel Legs

# **Electrical & Capacity**

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
220-240	0.75-0.82	150-160	Yes	EURO 16A	-	60°F (15.5°C)	1	2	50-60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements

riambing requirements						
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)			
-	-	-	-			


## **CAD Drawings**


**Additional Features** 

2D	Revit	KLC
•		

MARNING:







Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	9.3 in.	20.2 in.	11.8 in.	12.1 in.	14.4 in.	23.0 in.	22.000 lbs	2.320 ft <sup>3</sup>
Metric	23.6 cm	51.3 cm	30.0 cm	30.8 cm	36.5 cm	58.4 cm	9.979 kgs	0.066 m³



# Related Products & Accessories: 2SH CE 220-240V Soft Heat Stand, INF SRS (27875.0300)



SH SERVER, 1.5G/5.7L INF SERIES

Product #: 27850.0200



ICBA SH, CE 220-240V SST

Product #: 51100.0500



TWIN SH

Product #: 53452.0000



Serving & Holding Options: 2SH CE 220-240V Soft Heat Stand, INF SRS(27875.03	(00)
--	------

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*

