



# HAND BLENDER XMT-61

MAXPower commercial immersion blender. 675 W. #TheLightweightBeast



DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS



## SALES DESCRIPTION

- ✓ Brushless technology: the best power-to-weight ratio. Work with maximum comfort.
- ✓ Variable speed motor block.
- ✓ 420 mm detachable arm.
- ✓ Designed for continuous use in recipients of up to 150 l.

### #TheLightweightBeast: POWERFUL and LIGHTWEIGHT

- ✓ The best power-to-weight ratio: 675 W with only 3.64 kg.
- ✓ Work without fatigue.

#### All-in-one

- ✓ Professional hand blender designed for carrying out different preparations without the need for add-on tools.
- ✓ Professional Y-blade, made from tempered steel and with a long-duration cutting edge.
- ✓ Variable speed.
- ✓ Designed to work in recipients of up to 150 l.

#### Exclusive TiltStop system

- ✓ Your hand blender will stop in case of a fall or excessive tilt from the vertical position.
- ✓ Moreover, it won't initiate unless it's in the correct usage position.
- ✓ This ensures optimal operation and increases the operator's safety at the workplace.

#### Exclusive SmartControl

- ✓ View at all times the force applied to the motor.
- ✓ Full control with tilt-stop indicators and machine status display.

#### Maximum comfort for the user

- ✓ Compact design: logical and manageable size.
- ✓ Ergo-design & bi-mat-grip: external casing made in two materials for an ergonomic hold. Anti-slip grip. Optimum inclination of handle, minimising fatigue.
- ✓ Click-on-arm: detachable arm with fast and secure closure.

- ✓ Hood designed to avoid splashes.
- ✓ Intuitive use: very simple operation. LED warning light in two colours to indicate the status of the machine.
- ✓ Possibility of continuous operation.

#### Built to last

- ✓ Professional performance: capable of carrying out prolonged work without the casing overheating.
- ✓ Life-plus: equipped with a motor which has passed all of the most demanding usage tests.
- ✓ Studied geometry: casing designed to avoid rolling and falling.
- ✓ Ultra-durable arms designed to stand high temperatures in operation.
- ✓ Easy to clean: the arm can be washed under the tap or in the dishwasher.
- ✓ Approved by NSF: guaranteed safety and hygiene.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ Wall mount.
- ✓ MA-61 mixer arm.

## OPTIONAL

- MA-62 mixer arm.
- "Quick fix" clamp.
- MA-63 mixer arm.
- Clamp sliding frame.

## SPECIFICATIONS

Total loading: 675 W  
 Maximum recipient capacity: 150 l  
 Maximum working depth: 293 mm  
 Motor speed: 12000 rpm  
 Blade diameter: 60 mm  
 Blade guard diameter: 101 mm

#### Length

Liquidising arm length: 420 mm  
 Total length: 760 mm  
 Net weight: 3.64 kg  
 Noise level (1m.): <80 dB(A)  
 Crated dimensions  
 680 x 445 x 125 mm





# HAND BLENDER XMT-61

MAXPower commercial immersion blender. 675 W. #TheLightweightBeast



## AVAILABLE MODELS

3030920	Immersion blender XMT-61 230/50-60/1
3030960	Immersion blender XMT-61 230/50-60/1 UK
3030962	Immersion blender XMT-61 120/50-60/1

\* Ask for special versions availability

DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS

 <b>sammic</b>   <a href="http://sammic.com">sammic.com</a> <b>Food Service Equipment Manufacturer</b> Polígono Basarte, 1. phone +34 943 15 72 36 20720 Azkoitia, Spain <a href="mailto:sales@sammic.com">sales@sammic.com</a>		Project	Date
		Item	Qty
		Approved	

product sheet  
updated 21/04/2026



# HAND BLENDER XMT-62

MAXPower commercial immersion blender. 675 W. #TheLightweightBeast



DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS



## SALES DESCRIPTION

- ✓ Brushless technology: the best power-to-weight ratio. Work with maximum comfort.
- ✓ Variable speed motor block.
- ✓ 520 mm detachable arm.
- ✓ Designed for continuous use in recipients of up to 200 l.

### #TheLightweightBeast: POWERFUL and LIGHTWEIGHT

- ✓ The best power-to-weight ratio: 675 W with only 3.74 kg.
- ✓ Work without fatigue.

### All-in-one

- ✓ Professional hand blender designed for carrying out different preparations without the need for add-on tools.
- ✓ Professional Y-blade, made from tempered steel and with a long-duration cutting edge.
- ✓ Variable speed.
- ✓ Designed to work in recipients of up to 200 l.

### Exclusive TiltStop system

- ✓ Your hand blender will stop in case of a fall or excessive tilt from the vertical position.
- ✓ Moreover, it won't initiate unless it's in the correct usage position.
- ✓ This ensures optimal operation and increases the operator's safety at the workplace.

### Exclusive SmartControl

- ✓ View at all times the force applied to the motor.
- ✓ Full control with tilt-stop indicators and machine status display.

### Maximum comfort for the user

- ✓ Compact design: logical and manageable size.
- ✓ Ergo-design & bi-mat-grip: external casing made in two materials for an ergonomic hold. Anti-slip grip. Optimum inclination of handle, minimising fatigue.
- ✓ Click-on-arm: detachable arm with fast and secure closure.

- ✓ Hood designed to avoid splashes.
- ✓ Intuitive use: very simple operation. LED warning light in two colours to indicate the status of the machine.
- ✓ Possibility of continuous operation.

### Built to last

- ✓ Professional performance: capable of carrying out prolonged work without the casing overheating.
- ✓ Life-plus: equipped with a motor which has passed all of the most demanding usage tests.
- ✓ Studied geometry: casing designed to avoid rolling and falling.
- ✓ Ultra-durable arms designed to stand high temperatures in operation.
- ✓ Easy to clean: the arm can be washed under the tap or in the dishwasher.
- ✓ Approved by NSF: guaranteed safety and hygiene.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ MAT-62 mixer arm.
- ✓ Wall mount.

## OPTIONAL

- MAT-61 mixer arm.
- MAT-63 mixer arm.
- "Quick fix" clamp.
- Clamp sliding frame.

## SPECIFICATIONS

Total loading: 675 W  
 Maximum recipient capacity: 200 l  
 Maximum working depth: 357 mm  
 Motor speed: 12000 rpm  
 Blade diameter: 60 mm  
 Blade guard diameter: 101 mm

### Length

Liquidising arm length: 520 mm  
 Total length: 860 mm  
 Net weight: 3.74 kg  
 Noise level (1m.): <80 dB(A)

Crated dimensions  
 680 x 445 x 125 mm





# HAND BLENDER XMT-62

MAXPower commercial immersion blender. 675 W. #TheLightweightBeast



## AVAILABLE MODELS

3030922	Immersion blender XMT-62 230/50-60/1
3030965	Immersion blender XMT-62 230/50-60/1 UK
3030967	Immersion blender XMT-62 120/50-60/1

\* Ask for special versions availability

DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS

 <b>sammic</b>   <a href="http://sammic.com">sammic.com</a> <b>Food Service Equipment Manufacturer</b> Polígono Basarte, 1. phone +34 943 15 72 36 20720 Azkoitia, Spain <a href="mailto:sales@sammic.com">sales@sammic.com</a>		Project	Date
		Item	Qty
		Approved	

product sheet  
updated 11/05/2026



# HAND BLENDER XMT-63

MAXPower commercial immersion blender. 675 W. #TheLightweightBeast



DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS



## SALES DESCRIPTION

- ✓ Brushless technology: the best power-to-weight ratio. Work with maximum comfort.
- ✓ Variable speed motor block.
- ✓ 610 mm detachable arm.
- ✓ Designed for continuous use in recipients of up to 250 l.

### #TheLightweightBeast: POWERFUL and LIGHTWEIGHT

- ✓ The best power-to-weight ratio: 675 W with only 3.84 kg.
- ✓ Work without fatigue.

### All-in-one

- ✓ Professional hand blender designed for carrying out different preparations without the need for add-on tools.
- ✓ Professional Y-blade, made from tempered steel and with a long-duration cutting edge.
- ✓ Variable speed.
- ✓ Designed to work in recipients of up to 250 l.

### Exclusive TiltStop system

- ✓ Your hand blender will stop in case of a fall or excessive tilt from the vertical position.
- ✓ Moreover, it won't initiate unless it's in the correct usage position.
- ✓ This ensures optimal operation and increases the operator's safety at the workplace.

### Exclusive SmartControl

- ✓ View at all times the force applied to the motor.
- ✓ Full control with tilt-stop indicators and machine status display.

### Maximum comfort for the user

- ✓ Compact design: logical and manageable size.
- ✓ Ergo-design & bi-mat-grip: external casing made in two materials for an ergonomic hold. Anti-slip grip. Optimum inclination of handle, minimising fatigue.
- ✓ Click-on-arm: detachable arm with fast and secure closure.

- ✓ Hood designed to avoid splashes.
- ✓ Intuitive use: very simple operation. LED warning light in two colours to indicate the status of the machine.
- ✓ Possibility of continuous operation.

### Built to last

- ✓ Professional performance: capable of carrying out prolonged work without the casing overheating.
- ✓ Life-plus: equipped with a motor which has passed all of the most demanding usage tests.
- ✓ Studied geometry: casing designed to avoid rolling and falling.
- ✓ Ultra-durable arms designed to stand high temperatures in operation.
- ✓ Easy to clean: the arm can be washed under the tap or in the dishwasher.
- ✓ Approved by NSF: guaranteed safety and hygiene.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ MAT-63 mixer arm.
- ✓ Wall mount.

## OPTIONAL

- MAT-61 mixer arm.
- MAT-62 mixer arm.
- "Quick fix" clamp.
- Clamp sliding frame.

## SPECIFICATIONS

Total loading: 675 W  
 Maximum recipient capacity: 250 l  
 Maximum working depth: 436 mm  
 Motor speed: 12000 rpm  
 Blade diameter: 60 mm  
 Blade guard diameter: 101 mm

### Length

Liquidising arm length: 610 mm  
 Total length: 950 mm  
 Net weight: 3.84 kg  
 Noise level (1m.): <80 dB(A)  
 Crated dimensions  
 680 x 445 x 125 mm





# HAND BLENDER XMT-63

MAXPower commercial immersion blender. 675 W. #TheLightweightBeast



## AVAILABLE MODELS

3030924	Immersion blender XMT-63 230/50-60/1
3030970	Immersion blender XMT-63 230/50-60/1 UK
3030972	Immersion blender XMT-63 120/50-60/1

\* Ask for special versions availability

DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS

 <b>sammic</b>   <a href="http://sammic.com">sammic.com</a> <b>Food Service Equipment Manufacturer</b> Polígono Basarte, 1. phone +34 943 15 72 36 20720 Azkoitia, Spain <a href="mailto:sales@sammic.com">sales@sammic.com</a>		Project	Date
		Item	Qty
		Approved	

product sheet  
updated 11/05/2026



# HAND BLENDER XMT-101

MAXPower commercial immersion blender. 1000 W. #TheLightweightBeast



DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS



## SALES DESCRIPTION

- ✓ Brushless technology: the best power-to-weight ratio. Work with maximum comfort.
- ✓ Variable speed motor block.
- ✓ 435 mm detachable arm.
- ✓ Designed for continuous use in recipients of up to 150 l.

### #TheLightweightBeast: POWERFUL and LIGHTWEIGHT

- ✓ The best power-to-weight ratio: 1000 W with only 4.22 kg.
- ✓ Work without fatigue.

#### All-in-one

- ✓ Professional hand blender designed for carrying out different preparations without the need for add-on tools.
- ✓ Professional Y-blade, made from tempered steel and with a long-duration cutting edge.
- ✓ Variable speed.
- ✓ Designed to work in recipients of up to 150 l.

#### Exclusive TiltStop system

- ✓ Your hand blender will stop in case of a fall or excessive tilt from the vertical position.
- ✓ Moreover, it won't initiate unless it's in the correct usage position.
- ✓ This ensures optimal operation and increases the operator's safety at the workplace.

#### Exclusive SmartControl

- ✓ View at all times the force applied to the motor.
- ✓ Full control with tilt-stop indicators and machine status display.

#### Maximum comfort for the user

- ✓ Compact design: logical and manageable size.
- ✓ Ergo-design & bi-mat-grip: external casing made in two materials for an ergonomic hold. Anti-slip grip. Optimum inclination of handle, minimising fatigue.
- ✓ Click-on-arm: detachable arm with fast and secure closure.
- ✓ Hood designed to avoid splashes.
- ✓ Intuitive use: very simple operation. LED warning light in two colours to indicate the status of the machine.

- ✓ Possibility of continuous operation.

#### Built to last

- ✓ Professional performance: capable of carrying out prolonged work without the casing overheating.
- ✓ Life-plus: equipped with a motor which has passed all of the most demanding usage tests.
- ✓ Studied geometry: casing designed to avoid rolling and falling.
- ✓ Ultra-durable arms designed to stand high temperatures in operation.
- ✓ Easy to clean: the arm can be washed under the tap or in the dishwasher.
- ✓ Approved by NSF: guaranteed safety and hygiene.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ MAT-101 mixer arm.
- ✓ Wall mount.

## OPTIONAL

- MAT-102 mixer arm.
- MAT-103 mixer arm.
- MAT-104 mixer arm.
- "Quick fix" clamp.
- Clamp sliding frame.

## SPECIFICATIONS

Total loading: 1000 W  
 Maximum recipient capacity: 150 l  
 Motor speed: 1500 - 12000 rpm  
 Blade guard diameter: 123.3 mm

#### Length

Liquidising arm length: 435 mm  
 Total length: 775 mm  
 Net weight: 4.22 kg  
 Noise level (1m.): <80 dB(A)  
 Crated dimensions  
 680 x 445 x 125 mm

## AVAILABLE MODELS

3030925	Immersion blender XMT-101 230/50-60/1
3030975	Immersion blender XMT-101 230/50-60/1 UK
3030977	Immersion blender XMT-101 120/50-60/1

\* Ask for special versions availability



SAMMIC, S.L. · Basarte, 1  
20720 AZKOITIA (Gipuzkoa) · SPAIN

product sheet  
updated 11/05/2026



# HAND BLENDER XMT-101

MAXPower commercial immersion blender. 1000 W. #TheLightweightBeast



DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS

 <b>sammic</b>   <a href="http://sammic.com">sammic.com</a> <b>Food Service Equipment Manufacturer</b> Polígono Basarte, 1. phone +34 943 15 72 36 20720 Azkoitia, Spain <a href="mailto:sales@sammic.com">sales@sammic.com</a>		Project	Date
		Item	Qty
		Approved	

product sheet  
updated 11/05/2026



# HAND BLENDER XMT-102

MAXPower commercial immersion blender. 1000 W. #TheLightweightBeast



DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS



## SALES DESCRIPTION

- ✓ Brushless technology: the best power-to-weight ratio. Work with maximum comfort.
- ✓ Variable speed motor block.
- ✓ 535 mm detachable arm.
- ✓ Designed for continuous use in recipients of up to 225 l.

### #TheLightweightBeast: POWERFUL and LIGHTWEIGHT

- ✓ The best power-to-weight ratio: 1000 W with only 4.41 kg.
- ✓ Work without fatigue.

### All-in-one

- ✓ Professional hand blender designed for carrying out different preparations without the need for add-on tools.
- ✓ Professional Y-blade, made from tempered steel and with a long-duration cutting edge.
- ✓ Variable speed.
- ✓ Designed to work in recipients of up to 225 l.

### Exclusive TiltStop system

- ✓ Your hand blender will stop in case of a fall or excessive tilt from the vertical position.
- ✓ Moreover, it won't initiate unless it's in the correct usage position.
- ✓ This ensures optimal operation and increases the operator's safety at the workplace.

### Exclusive SmartControl

- ✓ View at all times the force applied to the motor.
- ✓ Full control with tilt-stop indicators and machine status display.

### Maximum comfort for the user

- ✓ Compact design: logical and manageable size.
- ✓ Ergo-design & bi-mat-grip: external casing made in two materials for an ergonomic hold. Anti-slip grip. Optimum inclination of handle, minimising fatigue.
- ✓ Click-on-arm: detachable arm with fast and secure closure.
- ✓ Hood designed to avoid splashes.

- ✓ Intuitive use: very simple operation. LED warning light in two colours to indicate the status of the machine.
- ✓ Possibility of continuous operation.

### Built to last

- ✓ Professional performance: capable of carrying out prolonged work without the casing overheating.
- ✓ Life-plus: equipped with a motor which has passed all of the most demanding usage tests.
- ✓ Studied geometry: casing designed to avoid rolling and falling.
- ✓ Ultra-durable arms designed to stand high temperatures in operation.
- ✓ Easy to clean: the arm can be washed under the tap or in the dishwasher.
- ✓ Approved by NSF: guaranteed safety and hygiene.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ MAT-102 mixer arm.
- ✓ Wall mount.

## OPTIONAL

- MAT-101 mixer arm.
- MAT-103 mixer arm.
- MAT-104 mixer arm.
- "Quick fix" clamp.
- Clamp sliding frame.

## SPECIFICATIONS

Total loading: 1000 W  
 Maximum recipient capacity: 225 l  
 Maximum working depth: 357 mm  
 Motor speed: 12000 rpm  
 Blade diameter: 70 mm  
 Blade guard diameter: 123.3 mm

### Length

Liquidising arm length: 535 mm  
 Total length: 875 mm  
 Net weight: 4.41 kg  
 Noise level (1m.): <80 dB(A)

Crated dimensions  
 680 x 445 x 125 mm





# HAND BLENDER XMT-102

MAXPower commercial immersion blender. 1000 W. #TheLightweightBeast



## AVAILABLE MODELS

3030928	Immersion blender XMT-102 230/50-60/1
3030980	Immersion blender XMT-102 230/50-60/1 UK
3030982	Immersion blender XMT-102 120/50-60/1

\* Ask for special versions availability

DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS

 <b>sammic</b>   sammic.com <b>Food Service Equipment Manufacturer</b> Polígono Basarte, 1. phone +34 943 15 72 36 20720 Azkoitia, Spain <a href="mailto:sales@sammic.com">sales@sammic.com</a>		Project	Date
		Item	Qty
		Approved	

product sheet  
updated 11/05/2026



# HAND BLENDER XMT-103

MAXPower commercial immersion blender. 1000 W. #TheLightweightBeast



DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS



## SALES DESCRIPTION

- ✓ Brushless technology: the best power-to-weight ratio. Work with maximum comfort.
- ✓ Variable speed motor block.
- ✓ 625 mm detachable arm.
- ✓ Designed for continuous use in recipients of up to 300 l.

### #TheLightweightBeast: POWERFUL and LIGHTWEIGHT

- ✓ The best power-to-weight ratio: 1000 W with only 4.60 kg.
- ✓ Work without fatigue.

### All-in-one

- ✓ Professional hand blender designed for carrying out different preparations without the need for add-on tools.
- ✓ Professional Y-blade, made from tempered steel and with a long-duration cutting edge.
- ✓ Variable speed.
- ✓ Designed to work in recipients of up to 300 l.

### Exclusive TiltStop system

- ✓ Your hand blender will stop in case of a fall or excessive tilt from the vertical position.
- ✓ Moreover, it won't initiate unless it's in the correct usage position.
- ✓ This ensures optimal operation and increases the operator's safety at the workplace.

### Exclusive SmartControl

- ✓ View at all times the force applied to the motor.
- ✓ Full control with tilt-stop indicators and machine status display.

### Maximum comfort for the user

- ✓ Compact design: logical and manageable size.
- ✓ Ergo-design & bi-mat-grip: external casing made in two materials for an ergonomic hold. Anti-slip grip. Optimum inclination of handle, minimising fatigue.
- ✓ Click-on-arm: detachable arm with fast and secure closure.
- ✓ Hood designed to avoid splashes.

- ✓ Intuitive use: very simple operation. LED warning light in two colours to indicate the status of the machine.
- ✓ Possibility of continuous operation.

### Built to last

- ✓ Professional performance: capable of carrying out prolonged work without the casing overheating.
- ✓ Life-plus: equipped with a motor which has passed all of the most demanding usage tests.
- ✓ Studied geometry: casing designed to avoid rolling and falling.
- ✓ Ultra-durable arms designed to stand high temperatures in operation.
- ✓ Easy to clean: the arm can be washed under the tap or in the dishwasher.
- ✓ Approved by NSF: guaranteed safety and hygiene.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ MAT-102 mixer arm.
- ✓ Wall mount.

## OPTIONAL

- MAT-101 mixer arm.
- MAT-102 mixer arm.
- MAT-104 mixer arm.
- "Quick fix" clamp.
- Clamp sliding frame.

## SPECIFICATIONS

Total loading: 1000 W  
 Maximum recipient capacity: 300 l  
 Maximum working depth: 436 mm  
 Motor speed: 12000 rpm  
 Blade diameter: 70 mm  
 Blade guard diameter: 123.3 mm

### Length

Liquidising arm length: 625 mm  
 Total length: 965 mm  
 Net weight: 4.60 kg  
 Noise level (1m.): <80 dB(A)

Crated dimensions  
 680 x 445 x 125 mm





# HAND BLENDER XMT-103

MAXPower commercial immersion blender. 1000 W. #TheLightweightBeast



## AVAILABLE MODELS

3030926	Immersion blender XMT-103 230/50-60/1
3030985	Immersion blender XMT-103 230/50-60/1 UK
3030987	Immersion blender XMT-103 120/50-60/1

\* Ask for special versions availability

DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS

 <b>sammic</b>   <a href="http://sammic.com">sammic.com</a> <b>Food Service Equipment Manufacturer</b> Polígono Basarte, 1. phone +34 943 15 72 36 20720 Azkoitia, Spain <a href="mailto:sales@sammic.com">sales@sammic.com</a>		Project	Date
		Item	Qty
		Approved	

product sheet  
updated 11/05/2026



# HAND BLENDER XMT-104

MAXPower commercial immersion blender. 1000 W. #TheLightweightBeast



DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS



## SALES DESCRIPTION

- ✓ Brushless technology: the best power-to-weight ratio. Work with maximum comfort.
- ✓ Variable speed motor block.
- ✓ 760 mm detachable arm.
- ✓ Designed for continuous use in recipients of up to 400 l.

### #TheLightweightBeast: POWERFUL and LIGHTWEIGHT

- ✓ The best power-to-weight ratio: 1000 W with only 4.79 kg.
- ✓ Work without fatigue.

### All-in-one

- ✓ Professional hand blender designed for carrying out different preparations without the need for add-on tools.
- ✓ Professional Y-blade, made from tempered steel and with a long-duration cutting edge.
- ✓ Variable speed.
- ✓ Designed to work in recipients of up to 400 l.

### Exclusive TiltStop system

- ✓ Your hand blender will stop in case of a fall or excessive tilt from the vertical position.
- ✓ Moreover, it won't initiate unless it's in the correct usage position.
- ✓ This ensures optimal operation and increases the operator's safety at the workplace.

### Exclusive SmartControl

- ✓ View at all times the force applied to the motor.
- ✓ Full control with tilt-stop indicators and machine status display.

### Maximum comfort for the user

- ✓ Compact design: logical and manageable size.
- ✓ Ergo-design & bi-mat-grip: external casing made in two materials for an ergonomic hold. Anti-slip grip. Optimum inclination of handle, minimising fatigue.
- ✓ Click-on-arm: detachable arm with fast and secure closure.
- ✓ Hood designed to avoid splashes.

- ✓ Intuitive use: very simple operation. LED warning light in two colours to indicate the status of the machine.
- ✓ Possibility of continuous operation.

### Built to last

- ✓ Professional performance: capable of carrying out prolonged work without the casing overheating.
- ✓ Life-plus: equipped with a motor which has passed all of the most demanding usage tests.
- ✓ Studied geometry: casing designed to avoid rolling and falling.
- ✓ Ultra-durable arms designed to stand high temperatures in operation.
- ✓ Easy to clean: the arm can be washed under the tap or in the dishwasher.
- ✓ Approved by NSF: guaranteed safety and hygiene.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ MAT-104 mixer arm.
- ✓ Wall mount.

## OPTIONAL

- MAT-101 mixer arm.
- MAT-102 mixer arm.
- MAT-103 mixer arm.
- "Quick fix" clamp.
- Clamp sliding frame.

## SPECIFICATIONS

Total loading: 1000 W  
 Maximum recipient capacity: 400 l  
 Maximum working depth: 537 mm  
 Motor speed: 12000 rpm  
 Blade diameter: 70 mm  
 Blade guard diameter: 123.3 mm

### Length

Liquidising arm length: 760 mm  
 Total length: 1100 mm  
 Net weight: 4.79 kg  
 Noise level (1m.): <80 dB(A)  
 Crated dimensions  
 680 x 445 x 125 mm





# HAND BLENDER XMT-104

MAXPower commercial immersion blender. 1000 W. #TheLightweightBeast



## AVAILABLE MODELS

3030930	Immersion blender XMT-104 230/50-60/1
3030990	Immersion blender XMT-104 230/50-60/1 UK
3030992	Immersion blender XMT-104 120/50-60/1

\* Ask for special versions availability

DYNAMIC PREPARATION  
COMMERCIAL HAND BLENDERS

 <b>sammic</b>   <a href="http://sammic.com">sammic.com</a> <b>Food Service Equipment Manufacturer</b> Polígono Basarte, 1. phone +34 943 15 72 36 20720 Azkoitia, Spain <a href="mailto:sales@sammic.com">sales@sammic.com</a>		Project	Date
		Item	Qty
		Approved	

product sheet  
updated 11/05/2026